	<b>SAFETY DATA SHEET</b> In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended	
	<b>Functionalized Synthetic Amorphous Silica N0144</b>	
Date: 18.03.2025	Revision: 24.11.2025	Page/pages: 1/15

## SECTION 1: Identification of the substance/mixture and of the company / undertaking

### 1.1. Product identifier

**Product name:** Functionalized Synthetic Amorphous Silica

**Product code:** N0144

**Other means of identification:**

Agilon 400D; Agilon 400 G-D; Agilon 454D; Agilon 454 G-D; 8011775; 8011967; 8011981; 8012270; 8012343; 8012514; 8012684

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Industrial applications.

**Use of the substance/mixture:** Reinforcing agent in rubber.; Additive

**Uses advised against:** Product is not intended, labelled or packaged for consumer use.

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:**

**QEMETICA NL Silica B.V.**

Valgenweg 1-3, 9936 HV Farmsum  
The Netherlands

Postal Adress: P.O. Box 181, 9930AD Delfzijl, The Netherlands

Customer Service: +31-596-676710

Technical Service: +31-596-676710

**QEMETICA US Silica LLC**

3150 Pete Manena Road,  
Westlake, LA 70669, USA

Customer Service: 1-800-243-6745

**E-mail address for the person responsible for the safety data sheet:**

[sds@gemetica.com](mailto:sds@gemetica.com)

### 1.4. Emergency telephone number

Emergency Phone:

112 (European emergency number)

+31 85 888 0596 (CHEMTREC, CCN1020385)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Product definition:** Mixture


**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

	<b>SAFETY DATA SHEET</b> In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended	
	<b>Functionalized Synthetic Amorphous Silica          N0144</b>	
Date: 18.03.2025	Revision: 24.11.2025	Page/pages: 2/15

## 2.2. Label elements

Signal word: No signal word.

Hazard statements: No known significant effects or critical hazards.

### Precautionary statements

Prevention: Not applicable.

Response: Not applicable.

Storage: Not applicable.

Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulations.  
P501

Hazardous ingredients: Not applicable.

Supplemental label elements: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

### Special packaging requirements

Containers to be fitted with child-resistant fastenings: Not applicable.

Tactile warning of danger: Not applicable.

## 2.3. Other hazards

Product meets the criteria for PBT or vPvB: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification: Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

## SECTION 3: Composition/information on ingredients

**3.2. Mixtures:** Mixture

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006  
(REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 3/15

Contains no detectable crystalline silica (detection limit <0.1% by weight).  
There are no ingredients present which, to the supplier's current knowledge and in the concentrations used, are classified as hazardous to health or the environment, are PBTs, vPvBs or similar substances of concern or have been assigned a limit value for the workplace and therefore need to be mentioned in this section.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>Eye contact:</b>	Protect the non-irritated eye, remove contact lenses. Rinse the contaminated eyes carefully with water for 10-15 minutes. Avoid strong streams of water – the risk of damaging the cornea. After rinsing put on an aseptic – sterile dressing and seek immediate medical advice.
<b>Inhalation:</b>	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
<b>Skin contact:</b>	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
<b>Ingestion:</b>	If swallowed, seek medical advice immediately and show the packing or label. Keep person warm and at rest. Do NOT induce vomiting.
<b>Protection of first-aiders:</b>	No action shall be taken involving any personal risk or without suitable training.


##### 4.2. Most important symptoms and effects, both acute and delayed

###### Potential acute health effects

<b>Eye contact:</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
<b>Inhalation:</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
<b>Skin contact:</b>	No known significant effects or critical hazards.
<b>Ingestion:</b>	No known significant effects or critical hazards.

###### Over-exposure signs/symptoms

<b>Eye contact:</b>	Adverse symptoms may include the following: irritation redness
<b>Inhalation:</b>	Adverse symptoms may include the following: respiratory tract irritation coughing
<b>Skin contact:</b>	No specific data.
<b>Ingestion:</b>	No specific data.

	<b>SAFETY DATA SHEET</b> In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended	
	<b>Functionalized Synthetic Amorphous Silica          N0144</b>	
Date: 18.03.2025	Revision: 24.11.2025	Page/pages: 4/15

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatment:** No specific treatment

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media:** None known.

#### 5.2. Special hazards arising from the substance or mixture

**Hazards from the substance or mixture** When transferring material into flammable solvents, use proper grounding to avoid electrical sparks.

**Hazardous combustion products** Decomposition products may include the following materials: carbon oxides, metal oxide/oxides, sulfur oxides.

#### 5.3. Advice for firefighters

**Special precautions for fire-fighters** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** No action shall be taken involving any personal risk or without suitable training.  
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing dust. Put on appropriate personal protective equipment.

**For emergency responders:** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

#### 6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 5/15

(sewers, waterways, soil or air).

### 6.3. Methods and material for containment and cleaning up

**Small spill:** Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

**Large spill:** Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

### 6.4. Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1. Precautions for safe handling

**Protective measures:** Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Product is stable up to 200 °C (392 °F).


**Advice on general occupational hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2. Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: -30°C (-22°F). Store in accordance with local regulations. Store in original container protected from moisture, direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

	<b>SAFETY DATA SHEET</b> In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended	
	<b>Functionalized Synthetic Amorphous Silica          N0144</b>	
Date: 18.03.2025	Revision: 24.11.2025	Page/pages: 6/15

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1. Control parameters

#### Occupational exposure limits

No known exposure limit values.

#### Recommended monitoring procedures:

Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs

DNELs - Not available.

#### PNECs

PNECs - Not available.

### 8.2. Exposure controls

#### Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures

##### Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

##### Eye/face protection:

Safety glasses with side shields. Use eye protection according to EN 166.

##### Skin protection:

##### Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006  
(REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 7/15

**Gloves**

chemical products if a risk assessment indicates this is necessary.

**Body protection:**

nitrile rubber, butyl rubber, PVC, Viton®

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:**

Use with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Mask type: full-face mask halfface mask Filter type: particulate filter P3 Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

**Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1. Information on basic physical and chemical properties

**Appearance:**

Physical state:	Solid
Product type:	Powder
Color:	Not available.
Odor:	Not available.
Odor threshold:	Not available.
Melting point/freezing point:	Not available.
Initial boiling point and boiling range	Not available.
Flammability	Not available.
Upper/lower flammability or explosive limits	Not applicable.
Minimum explosive concentration (MEC)	Not applicable.
Flash point	Not applicable. Product does not sustain combustion.
Auto-ignition	Not applicable.

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006  
(REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 8/15

temperature Decomposition temperature pH Viscosity Solubility(ies)	Stable under recommended storage and handling conditions (see Section 7). 5 to 9 Kinematic (40°C): Not applicable.
--	--

Media	Result
cold water	Soluble

Water Solubility at room temperature Partition coefficient: n-octanol/water Vapor pressure Evaporation rate Relative density Explosive properties Oxidizing properties	0.02 g/l Not applicable. Not available. Not available. Not available. Not available. Product does not present an oxidizing hazard.
--	--

Particle characteristics

Median particle size Size distribution	Not available <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th style="text-align: left;">Distribution (dN)</th> <th style="text-align: left;">Size</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>2 to 60 nm</td> </tr> </tbody> </table>	Distribution (dN)	Size	50	2 to 60 nm
Distribution (dN)	Size				
50	2 to 60 nm				

Method: TEM

Shape: Spheroidal  
 Crystallinity: Amorphous.

Additional information: Synthetic amorphous silica (SAS) consists of primary particles fused into aggregates by covalent bonds. There are no phase boundaries between these composite particles. These aggregates grow together to form agglomerates held together by van der Waals forces and hydrogen bonds. SAS powder products are brought into the market as agglomerates (the median particle size is found above, in this section). The primary particles can be measured by TEM (for Qemetica SAS distribution see d50, number based), but do not occur as isolated particles.

**9.2. Other information**

No additional information.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No specific test data related to reactivity available for this product or its ingredients.

**10.2. Chemical stability**

The product is stable, when stored in normal conditions and handling at the temperature up to 200 °C (392 °F).

**10.3. Possibility of hazardous reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4. Conditions to avoid**

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 9/15

Avoid use at temperatures above 200 °C (392 °F).

High temperature (>800 °C) treatment (calcining). Avoid alteration of product properties before use. Calcining (which may result in crystalline formation) or mixing with additives may alter toxicological properties.

Refer to protective measures listed in sections 7 and 8.

#### 10.5. Incompatible materials

Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

#### 10.6. Hazardous decomposition products

Depending on conditions, decomposition products may include the following materials: carbon oxides, metal oxide/oxides, sulfur oxides, hydrogen sulphide.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute Toxicity:

**Conclusion/Summary:** There are no data available on the mixture itself. Classification is based on calculation method.

##### Irritation/Corrosion:

###### **Conclusion/Summary**

Skin: There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class skin irritation, therefore classification criteria are not met.

Eyes: There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class eyes irritation, therefore classification criteria are not met.

Respiratory: There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class respiratory irritation, therefore classification criteria are not met.

##### Sensitization:

###### **Conclusion/Summary**

Skin: There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class skin sensitization, therefore classification criteria are not met.

Respiratory: There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class respiratory sensitization, therefore classification criteria are not met.

##### Mutagenicity:

**Conclusion/Summary:** There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class mutagenicity, therefore classification criteria are not met.

##### Carcinogenicity:

**Conclusion/Summary:** There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class carcinogenicity, therefore classification criteria are not met.

##### Reproductive Toxicity:

**Conclusion/Summary:** There are no data available on the mixture itself. Mixture ingredients are not classified in hazar class reproductive toxicity, therefore classification criteria are not met.

##### Teratogenicity:

**Conclusion/Summary:** There are no data available on the mixture itself. Mixture



## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 10/15

ingredients are not classified in hazar class teratogenicity, therefore classification criteria are not met.

#### **Specific target organ toxicity (single exposure):**

Not available. Mixture ingredients are not classified in hazar class STOT SE, therefore classification criteria are not met.

#### **Specific target organ toxicity (repeated exposure):**

Not available. Mixture ingredients are not classified in hazar class STOT RE, therefore classification criteria are not met.

**Target organs:** Contains material which may cause damage to the following organs: upper respiratory tract, eyes.

#### **Aspiration hazard:**

Not available. Mixture ingredients are not classified in hazar class aspiration hazard, therefore classification criteria are not met.

**Information on the likely routes of exposure** Not available.

#### **Potential acute health effects**

Inhalation	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Ingestion:	No known significant effects or critical hazards.
Skin contact:	No known significant effects or critical hazards
Eye contact:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

#### **Symptoms related to the physical, chemical and toxicological characteristics**

Inhalation:	Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion:	No specific data.
Skin contact:	No specific data.
Eye contact:	Adverse symptoms may include the following: irritation redness

#### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

##### **Short term exposure**

Potential immediate effects:	Not available.
Potential delayed effects:	Not available.

##### **Long term exposure**

Potential immediate effects:	Not available.
Potential delayed effects:	Not available.

#### **Potential chronic health effects**

Not available.

#### **Conclusion/Summary**

General: Repeated or prolonged inhalation of dust may lead to chronic

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006  
(REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 11/15

respiratory irritation. An epidemiological study was conducted which included 165 precipitated silica workers who had been exposed an average time span of 8.6 years. Of these 165 workers, 44 had been exposed for an average of 18 years. No adverse effects were noted in complete medical examinations (including chest roentgenograms) of these workers.

Pulmonary function decrements were correlated only with smoking and age but not with the degree or duration of dust exposures. Laboratory studies have also been conducted in small animals via inhalation of levels of precipitated silica dust of up to 126 mg/cu.m. per periods from six months to two years. Although precipitated silica was temporarily deposited in the animals' lungs, most of the deposited material was cleared soon after the dust exposure ended. The results of all studies performed by, or known to, Qemetica indicate a very low order of pulmonary activity for synthetic precipitated silicas. Qemetica recommends that persons with breathing problems or lung disease should not work in dusty areas unless a physician approves and certifies their fitness to wear respiratory protection.

Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Reproductive Toxicity:	No known significant effects or critical hazards.
Other information	Not available.

An epidemiological study was conducted which included 165 precipitated silica workers who had been exposed an average time span of 8.6 years. Of these 165 workers, 44 had been exposed for an average of 18 years. No adverse effects were noted in complete medical examinations (including chest roentgenograms) of these workers. Pulmonary function decrements were correlated only with smoking and age but not with the degree or duration of dust exposures. Laboratory studies have also been conducted in small animals via inhalation of levels of precipitated silica dust of up to 126 mg/cu.m. per periods from six months to two years. Although precipitated silica was temporarily deposited in the animals' lungs, most of the deposited material was cleared soon after the dust exposure ended. The results of all studies performed by, or known to, Qemetica indicate a very low order of pulmonary activity for synthetic precipitated silicas. Qemetica recommends that persons with breathing problems or lung disease should not work in dusty areas unless a physician approves and certifies their fitness to wear respiratory protection.

#### 11.2 Information on other hazards

##### 11.2.1 Endocrine disrupting properties

Not available.

##### 11.2.2 Other information

Not available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

**Conclusion/Summary :** There are no data available on the mixture itself.

#### 12.2. Persistence and degradability

## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006  
(REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 12/15

**Conclusion/Summary :** There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

Not available.

#### 12.4. Mobility in soil

Soil/water partition coefficient ( $K_{oc}$ ): Not available.

Mobility: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1. Waste treatment methods

##### **Product**

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste:

#### European waste catalogue (EWC)

Waste code	Waste designation
06 08 99	wastes not otherwise specified

##### **Packaging**

##### **Methods of disposal:**

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.



## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 13/15

#### **Special precautions:**

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
<b>14.1 UN number or ID number</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>14.2 UN proper shipping name</b>	-	-	-	-
<b>14.3 Transport hazard class(es)</b>	-	-	-	-
<b>14.4 Packing group</b>	-	-	-	-
<b>14.5 Environmental hazards</b>	No.	No.	No.	No.
<b>Marine pollutant substances</b>	Not applicable.	Not applicable.	Not applicable.	Not applicable.

#### **Additional information:**

**ADR/RID:** None identified.

**ADN:** None identified.

**IMDG:** None identified.

**IATA:** None identified.

#### **14.6 Special precautions for user**

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### **14.7 Maritime transport in bulk according to IMO instruments:**

Not applicable.

## SECTION 15: Regulatory information

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **EU Regulation (EC) No. 1907/2006 (REACH)**

#### **Annex XIV - List of substances subject to authorization**

#### **Annex XIV**

None of the components are listed.

#### **Substances of very high concern**

None of the components are listed.

#### **Annex XVII - Restrictions**

#### **on the manufacture, placing on the market**

Not applicable.



## SAFETY DATA SHEET

In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended

### Functionalized Synthetic Amorphous Silica N0144

Date: 18.03.2025

Revision: 24.11.2025

Page/pages: 14/15

#### and use of certain dangerous substances, mixtures and articles

**Explosive precursors** Not applicable.

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### National regulations

**Emissiebeleid water (ABM)** B(4) Low hazard for aquatic organisms. Decontamination effort: B

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

#### SECTION 16: Other information

Indicates information that has changed from previously issued version.

#### Abbreviations and acronyms

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

PBT = Persistent, Bioaccumulative and Toxic

vPvB = Very Persistent and Very Bioaccumulative

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

IMDG = International Maritime Dangerous Goods

IATA = International Air Transport Association

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

#### Full text of abbreviated H statements

Not applicable.

#### Full text of classifications [CLP/GHS]

Not applicable.

#### History

Date of previous issue

18.03.2025


Prepared by

QA

Version

2

**Indicates information that has changed from previously issued version:** section 2, 5, 7 and 10.

	<b>SAFETY DATA SHEET</b> In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended	
	<b>Functionalized Synthetic Amorphous Silica          N0144</b>	
Date: 18.03.2025	Revision: 24.11.2025	Page/pages: 15/15

**Disclaimer**

*The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.*