	SAFETY DATA SHEET	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 1/13

## SECTION 1: Identification

**Product name:** Lo-Vel 8300  
**Product code:** N02019  
**Other means of identification:** none  
**Product type:** Powder.

### **Relevant identified uses of the substance or mixture and uses advised against**

**Product use:** Industrial applications.  
**Use of the substance/mixture:** Additive  
**Uses advised against:** Not applicable

### **Manufacturer:**

#### **QEMETICA US Silica LLC**

3150 Pete Manena Road,  
 Westlake, LA 70669, USA  
 Customer Service: 1-800-243-6745

#### **QEMETICA NL Silica B.V.**

Valgenweg 1-3, 9936 HV Farmsum  
 The Netherlands  
 Postal Address: P.O. Box 181, 9930AD Delfzijl, The Netherlands  
 Customer Service: +31-596-676710  
 Technical Service: +31-596-676710

### **E-mail address for the person responsible for the safety data sheet:**

[sds@gemetica.com](mailto:sds@gemetica.com)

### **Emergency telephone number**

**Washington DC:** +1 703-741-5970  
 (Chemtrec Emergency number, CCN1020385)

## SECTION 2: Hazards identification

**OSHA/HCS status:** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture:** COMBUSTIBLE DUSTS


Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 8% (dermal), 8% (inhalation)

### **GHS label elements:**

**Signal word:** Warning  
**Hazard statements:** May form combustible dust concentrations in air.

### **Precautionary statements**

**Prevention:** Not applicable.  
**Response:** Not applicable.  
**Storage:** Not applicable.  
**Disposal:** Not applicable.  
**Supplemental label** Keep container tightly closed. Keep away from heat,

	SAFETY DATA SHEET	
	<b>LO-VEL 8300</b> <b>N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 2/13

elements:	sparks, open flames and hot surfaces. - No smoking. Prevent dust accumulation. Emits toxic fumes when heated.
Hazards not otherwise classified:	Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

### SECTION 3: Composition/information on ingredients

<b>Substance/mixture</b>	Mixture
<b>Product name:</b>	Lo-Vel 8300
<b>Other means of identification:</b>	none

Contains no detectable crystalline silica (detection limit <0.1% by weight).  
**There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**  
**Occupational exposure limits, if available, are listed in Section 8.**

### SECTION 4: First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.


#### Description of necessary first aid measures

<b>Eye contact:</b>	Protect the non-irritated eye, remove contact lenses. Rinse the contaminated eyes carefully with water for 10-15 minutes. Avoid strong streams of water – the risk of damaging the cornea. After rinsing put on an aseptic – sterile dressing and seek immediate medical advice.
<b>Inhalation:</b>	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
<b>Skin contact:</b>	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
<b>Ingestion:</b>	If swallowed, seek medical advice immediately and show the packing or label. Keep person warm and at rest. Do NOT induce vomiting.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

<b>Eye contact:</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
<b>Inhalation:</b>	Exposure to airborne concentrations above statutory or

	<b>SAFETY DATA SHEET</b>	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 3/13

recommended exposure limits may cause irritation of the nose, throat and lungs.  
**Skin contact:** No known significant effects or critical hazards.  
**Ingestion:** No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

**Eye contact:** Adverse symptoms may include the following:  
irritation  
redness

**Inhalation:** Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

**Skin contact:** No specific data.  
**Ingestion:** No specific data.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatment:** No specific treatment

**Protection of first-aiders:** No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

**SECTION 5: Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing media:** Use dry chemical powder.

**Unsuitable extinguishing media:** Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. Fine dust clouds may form explosive mixtures with air. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks.

**Specific hazards arising from the chemical:**

**Hazardous thermal decomposition products:** Decomposition products may include the following materials: carbon oxide/oxides


**Special protective actions for fire-fighters:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**SECTION 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**For non-emergency** No action shall be taken involving any personal risk or without

	<b>SAFETY DATA SHEET</b>	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 4/13

**personnel:**

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

**For emergency responders:**

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

**Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

**Small spill:**

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

**Large spill:**

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**Reference to other sections**

See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage**

**Precautions for safe handling**

**Protective measures:**

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding



## SAFETY DATA SHEET

### LO-VEL 8300 N02019

Date: 07.05.2025

Revision: -

Page/pages: 5/13

#### Special precautions:

#### Advice on general occupational hygiene:

containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

When transferring material into flammable solvents, use proper grounding to avoid electrical sparks.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: -30°C (-22°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from moisture, direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### SECTION 8: Exposure controls/personal protection

#### Control parameters

##### Occupational exposure limits

Ingredient name	CAS	Type	mg/m <sup>3</sup>	mppcf <sup>a</sup>
Silica, amorphous, precipitated and gel	7631-86-9 112926-00-8	OSHA PEL	0.8	

According to Standard Number: 1910.1000 TABLE Z-3 Mineral Dusts

Note - Conversion factors - mppcf × 35.3 = million particles per cubic meter = particles per c.c.


<sup>a</sup> Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques.

#### Key to abbreviations

A	= Acceptable Maximum Peak	S	= Potential skin absorption
ACGIH	= American Conference of Governmental Industrial Hygienists.	SR	= Respiratory sensitization
C	= Ceiling Limit	SS	= Skin sensitization
F	= Fume	STEL	= Short term Exposure limit values
IPEL	= Internal Permissible Exposure Limit	TD	= Total dust
OSHA	= Occupational Safety and Health Administration.	TLV	= Threshold Limit Value
R	= Respirable	TWA	= Time Weighted Average
Z	= OSHA 29 CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances		

#### Recommended monitoring procedures:

Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will

	<b>SAFETY DATA SHEET</b>	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 6/13

**Appropriate engineering controls:**

also be required.

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Environmental exposure controls:**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

**Hygiene measures:**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:**

Safety glasses with side shields.

**Skin protection:**

**Hand protection:**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection:**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:**

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is



## SAFETY DATA SHEET

**LO-VEL 8300  
N02019**

Date: 07.05.2025

Revision: -

Page/pages: 7/13

necessary.

The respiratory protection shall be in accordance to 29 CFR 1910.134.

### SECTION 9: Physical and chemical properties

#### Appearance:

Physical state:	Solid. Powder.
Color:	White.
Odor:	Odorless.
Odor threshold:	Not available.
pH:	5 to 9
Melting point:	Not available.
Boiling point:	Not available.
Flash point:	Not applicable.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not available.
Flammability:	Not available.
Lower and upper explosive (flammable) limits:	Not applicable.
Evaporation rate:	Not available.
Vapor pressure:	Not available.
Vapor density:	Not applicable.
Relative density:	Not available.
Solubility(ies):	

Media	Result
cold water	Soluble

Water Solubility at room temperature: 0.02 g/l

Partition coefficient: noctanol/water:	Not applicable
Viscosity	Not applicable

### SECTION 10: Stability and reactivity

#### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### Chemical stability

The product is stable.


#### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

#### Conditions to avoid

High temperature (>800 C) treatment (calcining). Avoid alteration of product properties before use. Calcining (which may result in crystalline formation) or mixing with additives may alter toxicological properties.



	SAFETY DATA SHEET	
	LO-VEL 8300 N02019	
Date: 07.05.2025	Revision: -	Page/pages: 8/13

Refer to protective measures listed in sections 7 and 8.

#### **Incompatible materials**

Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

#### **Hazardous decomposition products**

Depending on conditions, decomposition products may include the following materials: carbon oxide/oxides

### **SECTION 11: Toxicological information**

#### **Information on toxicological effects**

##### **Acute Toxicity:**

**Conclusion/Summary:** There are no data available on the mixture itself.

##### **Irritation/Corrosion:**

###### **Conclusion/Summary**

Skin: There are no data available on the mixture itself. Mixture ingredients are not classified in hazard class skin irritation, therefore classification criteria are not met.

Eyes: There are no data available on the mixture itself. Mixture ingredients are not classified in hazard class eye irritation, therefore classification criteria are not met.

Respiratory: There are no data available on the mixture itself. Mixture ingredients are not classified in hazard class respiratory irritation, therefore classification criteria are not met.

##### **Sensitization:**

###### **Conclusion/Summary**

Skin: There are no data available on the mixture itself. Mixture ingredients are not classified in hazard class skin sensitization, therefore classification criteria are not met.

Respiratory: There are no data available on the mixture itself. Mixture ingredients are not classified in hazard class respiratory sensitization, therefore classification criteria are not met.

##### **Mutagenicity:**

**Conclusion/Summary:** Mixture ingredients are not classified in hazard class mutagenicity, therefore classification criteria are not met.

##### **Carcinogenicity:**

**Conclusion/Summary:** Mixture ingredients are not classified in hazard class carcinogenicity, therefore classification criteria are not met.

##### **Reproductive Toxicity:**

**Conclusion/Summary:** Mixture ingredients are not classified in hazard class reproductive toxicity, therefore classification criteria are not met.

##### **Teratogenicity:**

**Conclusion/Summary:** Mixture ingredients are not classified in hazard class teratogenicity, therefore classification criteria are not met.

##### **Specific target organ toxicity (single exposure):**


Not available.

##### **Specific target organ toxicity (repeated exposure):**

Not available.

**Target organs:** Contains material which may cause damage to the following organs: upper respiratory tract, eyes, however changes are reversible. Classification criteria are not met.



	<b>SAFETY DATA SHEET</b>	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 9/13

**Aspiration hazard:**

Not available

**Information on the likely routes of exposure**

**Potential acute health effects**

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

Skin contact: No known significant effects or critical hazards

Ingestion: No known significant effects or critical hazards

**Over-exposure signs/symptoms**

Eye contact: Adverse symptoms may include the following:  
irritation  
redness


Inhalation: Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

Skin contact: No specific data.

Ingestion: No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Conclusion/Summary:** There are no data available on the mixture itself. An epidemiological study was conducted which included 165 precipitated silica workers who had been exposed an average time span of 8.6 years. Of these 165 workers, 44 had been exposed for an average of 18 years. No adverse effects were noted in complete medical examinations (including chest roentgenograms) of these workers. Pulmonary function decrements were correlated only with smoking and age but not with the degree or duration of dust exposures. Laboratory studies have also been conducted in small animals via inhalation of levels of precipitated silica dust of up to 126 mg/cu.m. per periods from six months to two years. Although precipitated silica was temporarily deposited in the animals' lungs, most of the deposited material was cleared soon after the dust exposure ended. The results of all studies performed by, or known to, Qemetica indicate a very low order of pulmonary activity for synthetic precipitated silicas. Qemetica recommends that persons with breathing problems or lung disease should not work in dusty areas unless a physician approves and certifies their fitness to wear respiratory protection. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal

	<b>SAFETY DATA SHEET</b>	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 10/13

routes of exposure and eye contact.

#### **Short term exposure**

Potential immediate effects: See section 4.  
 Potential delayed effects: See section 4.

#### **Potential chronic health effects**

General: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. An epidemiological study was conducted which included 165 precipitated silica workers who had been exposed an average time span of 8.6 years. Of these 165 workers, 44 had been exposed for an average of 18 years. No adverse effects were noted in complete medical examinations (including chest roentgenograms) of these workers. Pulmonary function decrements were correlated only with smoking and age but not with the degree or duration of dust exposures. Laboratory studies have also been conducted in small animals via inhalation of levels of precipitated silica dust of up to 126 mg/cu.m. per periods from six months to two years. Although precipitated silica was temporarily deposited in the animals' lungs, most of the deposited material was cleared soon after the dust exposure ended. The results of all studies performed by, or known to, Qemetica indicate a very low order of pulmonary activity for synthetic precipitated silicas. Qemetica recommends that persons with breathing problems or lung disease should not work in dusty areas unless a physician approves and certifies their fitness to wear respiratory protection.

Carcinogenicity: No known significant effects or critical hazards.  
 Mutagenicity: No known significant effects or critical hazards.  
 Reproductive Toxicity: No known significant effects or critical hazards.

#### **SECTION 12: Ecological information**

##### **Toxicity**

Not available.

##### **Persistence and degradability**

Not available.

##### **Bioaccumulative potential**


Not available.

##### **Mobility in soil**

Soil/water partition coefficient ( $K_{oc}$ ): Not available.

##### **Other adverse effects (such as hazardous to the ozone layer)**

The substance does not contribute to ozone layer depletion.

	SAFETY DATA SHEET	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 11/13

### SECTION 13: Disposal considerations

**Disposal methods:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Disposal should be in accordance with applicable regional, national and local laws and regulations.**

**Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures**

### SECTION 14: Transport information

	DOT	IMDG	IATA
<b>UN number</b>	Not regulated.	Not regulated.	Not regulated.
<b>UN proper shipping name</b>	-	-	-
<b>Transport hazard class (es)</b>	-	-	-
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	No.	No.	No.
<b>Marine pollutant substances</b>	Not applicable.	Not applicable.	Not applicable.

#### Additional information:

**DOT:** None identified.

**IMDG:** None identified.


**IATA:** None identified.

#### Special precautions for user:

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### Transport in bulk according

Not applicable.

	SAFETY DATA SHEET	
	LO-VEL 8300 N02019	
Date: 07.05.2025	Revision: -	Page/pages: 12/13

to IMO instruments:

## SECTION 15: Regulatory information

### United States

#### United States inventory (TSCA 8b):

All components are active or exempted.

#### SARA 302/304

##### SARA 304 RQ

Not applicable.

#### Composition/information on ingredients:

No products were found.

#### SARA 311/312

##### Classification

COMBUSTIBLE DUSTS

#### Composition/information on ingredients:

No products were found.

## SECTION 16: Other information

**Please refer to Section 2 of this document for GHS hazard classifications.  
The customer is responsible for determining the QEMETICA code for this material.**

#### Date of previous issue

07.05.2025

#### Organization that prepared the SDS:

EHS


#### Key to abbreviations:

ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
N/A = Not available  
SGG = Segregation Group  
UN = United Nations

**Indicates information that has changed from previously issued version.**

#### Disclaimer

*The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by Qemetica, and to recommend precautionary*

	<b>SAFETY DATA SHEET</b>	
	<b>LO-VEL 8300 N02019</b>	
Date: 07.05.2025	Revision: -	Page/pages: 13/13

*measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.*